



Batch ID:	I0052_CBD	Received:	1/27/2021	Test:	Potency
Sample Type:	CBD Isolate	Analyzed:	1/28/2021		

**CANNABINOID PROFILE**
**TOTAL CANNABINOID CONTENT**


Cannabinoid	LOD (%)	Result (%)	Result (mg/g)
Cannabidiol (CBD)	0.01	99.46	994.60
Cannabigerol (CBG)	0.01	0.00	0.00
Δ9-Tetrahydrocannabinol (Δ9-THC)	0.02	0.00	0.00
Cannabicitran (CBT)	0.01	0.00	0.00
Cannabichromene (CBC)	0.01	0.00	0.00
Cannabinol (CBN)	0.01	0.00	0.00
Cannabicyclol (CBL)	0.01	0.00	0.00
Tetrahydrocannavarin (THCV)	0.02	0.00	0.00
Δ8-Tetrahydrocannabinol (Δ8-THC)	0.02	0.00	0.00
Tetrahydrocannavarinic acid (THCVA)	0.01	0.00	0.00
Cannabigerolic acid (CBGA)	0.01	0.00	0.00
Cannabidiolic acid (CBDA)	0.01	0.00	0.00
Cannabidivarin (CBDV)	0.01	0.33	3.29
Δ9-Tetrahydrocannabinolic acid (THCA)	0.01	0.00	0.00
Cannabidivarinic Acid (CBDVA)	0.01	0.00	0.00
<b>Total Cannabinoids**</b>		<b>99.79</b>	<b>997.90</b>
<b>Total Potential Δ9-THC*</b>		<b>0.00</b>	<b>0.00</b>
<b>Total Potential CBD*</b>		<b>99.46</b>	<b>994.60</b>
<b>Total Potential CBG*</b>		<b>0.00</b>	<b>0.00</b>

\* Total Potential THC/CBD/CBG is calculated using the following formulas to consider the loss of a carboxyl group during decarboxylation step.

\*Total THC = THC + (THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)) and Total CBG = CBG + (CBGa\*(0.877))

\*\* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

**REMARKS**

Passed visual inspection for particulates, mold, mildew, and other foreign substances.

**FINAL AUTHORIZATION**
*Brian McCoy*

28-Jan-21



28-Jan-21

*Madi S*

28-Jan-21

 Brian McCoy  
 Lab Technician

 Logan Cline  
 Lab Manager

 Madi Smith  
 Quality Analyst

ANALYZED BY/DATE

AUTHORIZED BY / DATE

RELEASED BY/DATE

Laboratory results are based on the sample submitted to Extract Labs, INC, in the condition it was received. Extract Labs, INC warrants that all analyses performed were done in a professional manner in accordance with all relevant standard laboratory practices and good manufacturing practices. Extract Labs, INC is currently in the process of obtaining ISO 17025 accreditation but has not yet been obtained. All data was generated using certified reference materials and NIST traceable reference standards. Report can only be reproduced with the written consent of Extract Labs, INC.

